

Myd88 (MAVS; EPD0226_1_D04)

Allele: *Myd88*^{tm1a(EUCOMM)Wtsi}

Genotyping Information

These mice may be genotyped through a combination of separate PCR reactions that detect *LacZ*, the gene-specific wild type allele, and a mutant allele-specific short range PCR. Interpretation of the consolidated results produces the genotype of the mice.

For example: *LacZ* positive, mutant positive, wild type positive = heterozygous.

➤ PCRs primer pairs and expected size bands

PCR type	Forward primer	Reverse primer	Expected size band (bp)
Mutant PCR	Myd88_55573_F	CAS_R1_Term x	223
Wild type PCR	Myd88_55573_F	Myd88_55573_R	277
LacZ PCR	LacZ_2_small_F	LacZ_2_small_R	108

➤ Primer sequences

Primer name	Primer sequence (5' > 3')
CAS_R1_Term	TCGTGGTATCGTTATGCGCC
Myd88_55573_F	GGACCCCTTCCATCACTCAC
Myd88_55573_R	TTGGACTCTCCCAAATGAGC
LacZ_2_small_F	ATCACGACGCGCTGTATC
LacZ_2_small_R	ACATCGGGCAAATAATATCG

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Last updated: 17/02/2010

➤ **Reaction**

Reagent	μl
DNA (~50-100 ng)	1.0
10x Buffer	2.0
MgCl ₂ (50 mM)	0.6
PtTaq (Platinum Taq (Invitrogen))	0.2
dNTPs (100 mM)	0.2
Primer 1 (10 μM)	0.4
Primer 2 (10 μM)	0.4
H ₂ O	<u>15.2</u>
Total	20.0

➤ **Cycling conditions**

Wild type and mutant PCRs

Cycle	Temp	Time
1	94 °C	5 min
2	94 °C	30 sec
3	58 °C	30 sec
4	72 °C	45 sec
5	Go to '2' + 34 cycles	
6	72 °C	5 min
7	12 °C	forever

LacZ PCR

Cycle	Temp	Time
1	94 °C	5 min
2	94 °C	30 sec
3	60 °C	30 sec
4	72 °C	30 sec
5	Go to '2' + 34 cycles	
6	72 °C	5 min
7	12 °C	forever

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Last updated: 17/02/2010