

PCR Protocol

Modified by Anna Heger, *Preclinical Facility*

Chr 15 (MADM)

Purification of tail samples with DirectPCR® Lysis Reagent Tail from Peqlab
Phire Hot-Start II DNA Polymerase

Mastermix for 20 µl

13,65 µl H₂O

4 µl Phire Hot-Start II

0,5 µl dNTPs

0,6 µl Primermix M15 (10µM)

0,25 µl Phire Hot-Start II DNA Polymerase

19 µl Lysis + 1 µl DNA

Primer Sequences 5' – 3'

Chr 15 for CTC CTA ATT TTT CCC CAC CTT G

Chr 15 rev TAC TTT GCT GTT AAG CCC TGG A

177 TCA ATG GGC GGG GGT CGT T (MADM cassette)

Results

WT = 394bp

HOM = 270bp

Cycling

98°C 30 sec

98°C 5 sec

60°C 5 sec 34x

72°C 15 sec

72°C 1 min

16°C forever

Gel Elektrophoresis

2,5% Agarose, 1x TAE, 3µl Syber Safe

Run: 110 Volt, 30min

TG

Purification of tail samples with DirectPCR® Lysis Reagent Tail from Peqlab
Phire Hot-Start II DNA Polymerase

Mastermix for 20 µl

13,25 µl H₂O

4 µl Phire Hot-Start II

0,5 µl dNTPs

0,6 µl Primermix TG (10µM)

0,4 µl Primermix Internal Control (10µM)

0,25 µl Phire Hot-Start II DNA Polymerase

19 µl Lysis + 1 µl DNA

Primer Sequences 5' – 3'

159 GGA CTG GGT GCT CAG GTA GTG GTT GTC G

162 GGT ACG TCC AGG AGC GCA CCA TCT TCT TCA AGG

oIMR8744 positive internal control CAA ATG TTG CTT GTC TGG TG

oIMR8745 positive internal control GTC AGT CGA GTG CAC AGT TT

Results

WT control = 200bp

TG = 279bp

(This assay will NOT distinguish hemizygous from homozygous animals)

Cycling

98°C 30 sec

98°C 5 sec

60°C 5 sec 34x

72°C 15 sec

72°C 1 min

16°C forever

Gel Elektrophoresis

3% Agarose, 1x TAE, 3µl Syber Safe

Run: 110 Volt, 30min